



ITALIAN ESPRESSO COFFEE MACHINES

91



Hay to Be



The display controls the thermoregulation of each group, the adjusting of the coffee dose and the infusion time, all in real time.

manages each group independently. All the functions are accessible by a color touch screen display.

manage the temperature of the group, the coffee dose adjustment and the infusion time, all this in real time through an intelligent touch-screen display.

INDIE manage the brewing temperature control on each group independently, with accuracy and rapidity never achieved before thanks to a very reduced thermal inertia.

provides a patented brewing group water infusion preheating system that gives full control of the temperature directly on the group.



By means of a handy and patented wheel regulator it's possible to customize the steam pressure.

The Way to Be Sillart

INDIE comes equipped with patented steam wand with which it is possible to make a pressure fine adjustment from 0.8 to 1.8 BAR, with the capability to heat up 30 Liters/Hour.

has the possibility to adjust the volume of the hot water through a simple programming.

| N)|| is equipped with automatic and patented milk frothing system (optional), programmable milk temperature from 50 to 70 C°, regulation of the milk foam volume and self-diagnosis of cleaning.















INSTALLATION SETUP



MODELS

INDIE 2

2 Units Automatic

TECHNICAL DATA

Units	Steam Boiler Capacity	Voltage	Frequency	Steam Boiler Power	Delivery Unit Power	Service Control Power	Weight	Shipping Weight
Gruppi	Capacità caldaia Vapore	Tensione	Frequenza	Potenza Caldaia	Potenza Gruppo	Servizi	Peso	Peso spedizione
N°	L	V	Hz	W	W	W	kg-lbs	kg-lbs
2	12	230-400	50/60	3500	800+800	200	79/174	96/211



Elektra srl - Via A. Volta, 18 31030 Dosson di Casier (Treviso) Italy Tel. +39.0422.490405 r.a. - Fax +39.0422.490620 www.elektrasrl.com - info@elektrasrl.com

